**Brightside Scientific Inc** 3027 South Street Ste A Long Beach, CA 90805

(844) 420-5227 http://www.brightsidesci.com Lic# C8-0000038-LIC

1 of 1

## Rbb-p-A

Sample ID: 2306BSD0192.0734

Strain: Rbb-p-A Matrix: Ingestible Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 06/14/2023 Received: 06/14/2023 Completed: 06/19/2023

Client

Lic.#

4651 Santa Maria Mesa Rd. Santa Maria, CA 93454



### Summary

Test Batch Cannabinoids **Date Tested** 

06/14/2023

Result Complete Complete

# Cannabinoids by HPLC-UV

Complete

| <b>ND</b><br>Total THC |                        | <b>0.34 mg/g</b><br>Total CBD |                | <b>0.00 mg/g</b><br>Total CBG | 0.34 mg/g<br>Overall Cannabinoids |
|------------------------|------------------------|-------------------------------|----------------|-------------------------------|-----------------------------------|
| Analyte                | LOQ<br>mg/g            | LOD<br>mg/g                   | Result<br>mg/g | Result<br>%                   |                                   |
| THCa                   | 0.0025000              | 0.001000                      | ND             | ND                            |                                   |
| Δ9-THC<br>Δ8-THC       | 0.0025000<br>0.0025000 | 0.001000<br>0.001000          | ND<br>ND       | ND<br>ND                      |                                   |
| THCV                   | 0.0025000              | 0.001000                      | ND             | ND<br>ND                      |                                   |
| CBDa                   | 0.0025000              | 0.001000                      | ND             | ND                            |                                   |
| CBD                    | 0.0025000              | 0.001000                      | 0.34           | 0.034                         |                                   |
| CBDV<br>CBN            | 0.0025000<br>0.0025000 | 0.001000<br>0.001000          | ND<br>ND       | ND<br>ND                      |                                   |
| CBGa                   | 0.0025000              | 0.001000                      | ND             | ND                            |                                   |
| CBG                    | 0.0025000              | 0.001000                      | ND             | ND                            |                                   |
| CBC                    | 0.0025000              | 0.001000                      | ND             | ND                            |                                   |
| Total THC              |                        |                               | ND             | ND                            |                                   |
| Total CBD<br>Total CBG |                        |                               | 0.34<br>0.00   | 0.03<br>0.00                  |                                   |
| Total                  |                        |                               | 0.34           | 0.03                          |                                   |

Date Tested: 06/14/2023

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa \* 0.877 + 49-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Not Tested

Moisture Content by Moisture Balance (SOP ID 3810)

Water Activity by Hydrometer (SOP ID 3710)

### **Not Tested**

Foreign Materials by Magnifying Glass (SOP ID 3020)







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.